



Bad Certificate Fix



Click on Tools

Go to <http://iase.disa.mil/> and click on DoD Public Key Infrastructure Enabling (PKI/PKE)

Bad Certificate Fix

PKI and PKE Tools

*PKI = DoD PKI Certificate Required

Domain Management	Certificate Tools	Certificate Validation
Password Hash Refresh Script *PKI The DoD PKE Password Hash Refresh script can be used to perlox hashes) for smart card-enforced accounts within specific OU cental Download) Size: 2 KB		
Password Hash Refresh Script: User Guide *PKI This guide provides step-by-step instructions for using the DoD PKI passwords (and by extension, their associated hashes) for smart c 686 KB		
Smart Card Logon (SCL) Troubleshooting Tool 1.0 *PKI The SCL troubleshooting Tool is designed to identify and diagnose controller. The following operating systems are supported: Window Date: 02/26/2016 Size: 14,161 KB		
Smart Card Logon (SCL) Troubleshooting Tool 1.0 User Guide This guide provides usage instructions for the Smart Card Logon (S Size: 605 KB		

Click on Certificate Validation tab


PKI and PKE Tools

*PKI = DoD PKI Certificate Required


Account Management	Certificate Tools	Certificate Validation	Ena
CRLAutoCache 4.1.1: System Administrator Guide *PKI This guide provides installation and configuration instructions for the Do 076200115 Size: 1,488 KB			
CRLAutoCache 4.1.1: Windows Installers *PKI This tool provides administrators with a flexible solution to create local e CRLs to local LDAP directory servers, web servers, and network file shas (both 32- and 64-bit). Windows XP, Windows Vista, Windows 7, Window Windows Server 2008 R2, Windows Server 2012, and Windows Server 2 • 32-bit Installer - (MSI Download) Size: 7,609 KB *PKI • 64-bit Installer - (MSI Download) Size: 8,454 KB *PKI			
CRLAutoCache for Linux 2.05 - NRPNet *PKI The CRLAutoCache for Linux utility provides the capability to download C local cache on a Linux machine. The tool also has the ability to process products, such as Apache web server configured with mod_ssl, and Mod Linux can be scheduled to periodically download CRLs to a local cache the DoD PKI NRPNet CRLs by default. (TAR.GZ Download) Size: 9 KB			
CRLAutoCache for Linux 2.05 - SIPRNet *PKI The CRLAutoCache for Linux utility provides the capability to download C local cache on a Linux machine. The tool also has the ability to process products, such as Apache web server configured with mod_ssl, and Mod Linux can be scheduled to periodically download CRLs to a local cache the NSS PKI and legacy CA0 SIPRNet PKI CRLs by default. (Downloads http://base-rel-dia.smi.mil/pki-exa/function_pages/footer.html)			
CRLAutoCache for Linux User Guide *PKI This guide provides usage instructions for both the NRP 15 KB			
FBCA Cross-Certificate Remover 1.12 This tool removes certificates from the local certificate stores. The following OS Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 R2, Windows XP, Windows Vista, Windows 7, Windows 8, and Windows 8.1			
FBCA Cross-Certificate Remover 1.12 User Guide This guide provides usage instructions for the FBCA Cross-Certificate R 537 KB			

Double Click on FBCA Cross-Certificate Remover
NOTE: It does not matter on the number, versions change.

Bad Certificate Fix




Click on open




Double click on FBCA_Crosscert_remover_v112

Note: V112 does not matter when the version is new it will change




Click on Extract all

Bad Certificate Fix




Click on Extract




Double click on red X FBCA_Crosscert_remover_v112


Bad Certificate Fix



Click on Run




This screen populates – Wait to do not click on anything



Once you see ENTER on the bottom then hit Enter on your keyboard

Bad Certificate Fix



```

DENIED
NOTE: This utility needs to be run with administrative privileges to perform this
action.
* Adding OCED-DoDRootCA2-Mar2016 to the CurrentUser Disallowed store...SUCCESSF
UL
* Adding IRO2-DoDRootCA3 to the LocalMachine Disallowed store...ACCESS DENIED
NOTE: This utility needs to be run with administrative privileges to perform this
action.
* Adding IRO2-DoDRootCA3 to the CurrentUser Disallowed store...ALREADY EXISTS
* Adding IRO2-DoDRootCA3-Feb2016 to the LocalMachine Disallowed store...ACCESS
DENIED
NOTE: This utility needs to be run with administrative privileges to perform this
action.
* Adding IRO2-DoDRootCA3-Feb2016 to the CurrentUser Disallowed store...SUCCESS
FUL
Finished.

WARNING: Administrative privileges are needed to add or remove some of the
certificates on your system. Please rerun with these credentials.

Press <ENTER> to continue.
```

This screen will populate twice.

Once you see ENTER again on the bottom then hit Enter on your keyboard
When the black screen is gone you are done and can proceed to accessing
DCPDS.